

REL-45116



RELIABLE - RECHARGEABLE BOX LIGHT

REL-45116 - Industrial - can be charged with AC or DC power for maximum versatility.

REL-45107 - Truck Mount - Complete with hard wire rack that can be mounted to the DC system of any Utility, Fire, or Safety vehicle.

REL-BH - Holster Utility Bucket Mount

FEATURES:

- Tough, weatherproof, ABS, thermoplastic design
- Swivel neck allows 360° rotation of lamp head
- Zero maintenance rechargeable battery delivers eight hours of power to the 8 watt spot without recharging. Rechargeable up to 500 times
- New Bi-pin bulb lasts twice as long as sealed beam lamps and is small enough that you can store a spare bulb in the head assembly
- Wall mounted in it's own recharging rack
- Twin LEDs give charge feedback. (Red is charging, green is fully charged)

Color: Safety Orange

Weight: 6 LBS

Dimensions: 11.5" L x 5.1" W x 7" H

REL-BH



REL-4AA - HARD HAT LIGHT

- The Reliable REL-4AA is the most powerful hard hat light for it's size
- Universal mounting bracket can be attached to most hard hats and can be adjusted with the turn of a knob.
- Twist on/off operation
- High intensity light shines directly into your work area. Perfect for confined spaces and applications where hands-free illumination is a must
- 4 AA Alkaline Batteries included

REL-1019 – Hard Hat Mounting Bracket

REL-1402 – Replacement Bulb

LAMP: HIGH PRESSURE XENON

POWER: 2.1 WATTS (4 AA Alkaline Batteries)

BURN TIME: 4-5 HOURS

Dimensions: 5.6" L x 1.5"W x 1.1"H

REL-4AA



Additional lighting options are available. Consult your Reliable representative for further information.

GOLIGHT / RADIORAY HALOGEN

- Exclusive CR5 Pentabeam Technology
- Wireless or Hardwired Remote Control Options
- Permanent or Portable Mounting Options
- 370° Rotation x 135° Tilt
- 225,000 Candela, Max Beam Distance 3,113 ft
- 5.5 amps
- 8° Beam Angle
- UV Ray and Saltwater Resistant
- 3 Year Limited Warranty



7900 Halogen - Permanent Mount Shoe & Suction Cup - **79004 LED**

7901 Halogen - Magnetic Mount Shoe & Suction Cup - **79014 LED**

BANDIT® LED RECHARGEABLE HEADLAMP

- 180 lumens (High)
- USB rechargeable; charges in approx. two hours
- Lightweight (1.3 oz) and low profile
- Includes visor clip for use with ball cap
- Three output modes: High, low and emergency flash
 - High: 180 lumens; runs 2 hours
 - Low: 35 lumens; runs 9.5 hours
 - Emergency flash - flashes on high - 180 lumens



Bandit® Headlamp

DUALIE® 3AA FLASHLIGHT

- Operating temperature: -20°F to 130°F. (To maintain hazardous locations rating: -20°C to 40°C)
- Durable, non-conductive, corrosion-proof polymer resin
- Rocky stipple texture for a sure grip
- Rugged, integrated, snag-free clip conforms to body of light
- IPX7 rated; waterproof to 1 meter for 30 minutes
- 2 meter impact resistance tested
- Ergonomically designed for maximum hand comfort
- Model with magnetic clip features two magnets - on top of clip and on tail end



Dualie® 3AA Flashlight



68085
3AA Helmet Mount



99075
Rubber Helmet Strap

SUPER BRIGHT LED PORTABLE SCENE LIGHT

- 5,300 lumens; 410m beam distance (High)
- 3 levels of lighting: high, medium, low
- 18 hour runtime (Low)
- AC/DC rechargeable
- Design allows for the light to be used in confined spaces and rugged terrain
- Less than 30 seconds for full deployment
- Designed to resist 40mph wind continuous in all directions with head fully extended

Portable and Rechargeable
Collapsible Flood Light



SPECIFICATIONS			
MODEL	BANDIT®	DUALIE®	PORTABLE SCENE LIGHT
Lumens	180	245	5,300
Candle	—	7,300	42,000
Range of Light / Distance	—	171 meters	410 meters
Runtime	9.50 hours	18 hours	18 hours
Battery Styles	Rechargeable	Non-Rechargeable	Rechargeable
Battery Types	Lithium Polymer Cell	AA Alkaline, AA Lithium	Lead Acid
Length	2.550 in.	7 in.	22 in.
Weight	1.3 oz.	6.8 oz.	25 lbs.
Colors	Yellow, Black	Yellow, Black	Yellow
Battery Quantity	1	3	1

TO ORDER CALL: 800-966-3530 OR FAX: 215-357-9193

WWW.RELIABLE-EQUIP.COM



SEPTOR®

HEADLAMP

- Meets lighting needs for “close-up” work when it is important to see details
- With 7 white 5mm LEDs and three lighting modes:
 - 7 LEDs that project a soft focus light for jobs requiring lighting to an arm away: maximum beam intensity of 900 candelas, 120 lumens and 3.5 hours of operation
 - 3 LEDs for dim lighting and longer duration: maximum beam intensity of 375 candelas, 45 lumens and 10 hours of operation
 - 1 LED for longer duration and for when a less intense beam is suitable: maximum beam intensity of 100 candelas, 13 lumens and 55 hours of operation
- Easy to use push button with gloves and inlay for protection against unintentional activation



STINGER®

RECHARGEABLE FLASHLIGHT

- Xenon gas-filled bi-pin bulb; spare bulb in tailcap
- Adjustable focus beam
- Up to 11,000 candela (peak beam intensity); 90 lumens



LITEBOX®

INDUSTRIAL-DUTY, PORTABLE RECHARGEABLE LANTERN

- High-intensity halogen bi-pin bulb available in 8 watt and 20 watt spot and flood. Xenon dual filament 8 watt safety bulb features instant backup beam
- High-impact ABS thermoplastic housing with rubberized impact bumper, lens ring, and cushioned-grip handle
- Up to 9 hrs. continuous run time per charge depending on bulb type



E-FLOOD® LITEBOX®

RECHARGEABLE LANTERN

- Six (6) C4® LEDs, impervious to shock with a 50,000 hour lifetime

SPECIFICATIONS				
MODEL	SEPTOR®	STINGER®	LITEBOX®	E-FLOOD® LITEBOX®
Lumens	13.00 - 120.00	90.00	150 - 400	501 - 3350
Candle	100 - 900	11000	—	2501 - 5000
Range of Light / Distance	60 meters	210 meters	126 meters	126 meters
Runtime	3.50 - 55.00 hours	1.25 hours	9 hours	8 hours
Battery Styles	Non-rechargeable	Rechargeable	Rechargeable	Rechargeable
Battery types	Alkaline AAA	Nickel-Cadmium	Lead Acid	Lead Acid
Length	2.550 in.	7.380 in.	11.5 in.	11.5 in.
Weight	5.5 oz.	10 oz.	7 lbs. 6.4 oz.	7.9 lbs.
Colors	Yellow	Black	Orange, Yellow	Orange, Yellow
Battery Quantity	3	1	1	1