




Tooling solutions for the power utility industry.


**Standard
Combination Tool**




**Combination Tool
with Neutral Winder**



**Load Break
Probe Wrench**



**Hotstick Operable
Loadbreak Probe Wrench**



TOR-KEY

COMBINATION TOOL

The Combination Tool combines both the Loadbreak Probe Wrench and the Tor-Key into one integral assembly.

Combination Tool with Neutral Winder has a V-groove and cross hole machined into the handle to provide a handy means of removing the outer jacket from the cable by winding the wire as it is being pulled through the jacket.

LOAD BREAK PROBE WRENCH

Designed to provide the operating personnel a means of preventing probe arc follower contamination and other damage. At the same time, it holds the loadbreak probe and acts as a handle during positioning and installation of the probe into the threaded eye of the elbow crimp connector.

TOR-KEY

Pre-set torque of 120 in. lbs., an ideal value as prescribed by the elbow manufacturers. When used separately, the Tor-Key 1/4" drive is inserted into the Probe Wrench 1/4" socket and rotated until the TK120 "clicks", indicating that the preset torque value has been reached.

ORDERING INFORMATION

LPW1525 - Loadbreak Probe Wrench
(for all 15 and 25 kV Loadbreak Probes)

TK120 - Tor-Key (preset torque wrench)
for use with LPW1525

LPW1525/TK120X - Combination Tool
(for all 15 and 25 kV LB Probes)

LPW1525/TK120X-N - Same as above with
Neutral Winder in handle

LPW35R/TK120X - Combination Tool
(for Cooper 35 kV Loadbreak Probe Wrench)

LPW35R/TK120X-N - Same as above with
neutral Winder in handle

HLPW1525/TK120X - Hotstick Operable
Loadbreak Probe/Torque Wrench for all 15
and 25 kV Elbows

TO ORDER CALL: 800-966-3530 OR FAX: 215-357-9193