



## IMPACT WRENCH AND DRILL ACCESSORIES

Part	Description	Use with Tool						
		H6505A	H6505A1	H8500A	48329	448330	48760	48755
F020028	1/2" Drive Set (Next 6 Sockets)	x	x	x	x	x	x	x
F015424	5/8" Socket, 1/2" Drive	x	x	x	x	x	x	x
F015426	3/4" Socket, 1/2" Drive	x	x	x	x	x	x	x
F015427	13/16" Socket, 1/2" Drive	x	x	x	x	x	x	x
F015428	7/8" Socket, 1/2" Drive	x	x	x	x	x	x	x
F015430	1" Socket, 1/2" Drive	x	x	x	x	x	x	x
F015431	1-1/16" Socket, 1/2" Drive	x	x	x	x	x	x	x
F017005	1-1/8" Socket, 1/2" Drive	x	x	x	x	x	x	x
F015321	7/16"x 1/2" Shank, Sq. Drive	x		x		x		x
121737	Lifting Eye	x	x					
F020538	Adapter <small>1/2" fem. sq. to 5/8" quick change fem. hex</small>		x		x		x	
155248	Non-adj. Torque Plug Kit			x				
39892	Trigger Guard Kit			x				
48518	Trigger Gaurd Kit				x	x	x	x

## HIGH QUALITY IMPACT BITS



### RELIABLE IMPACT - POLE BITS

High quality construction provides lasting performance.

Hollow center twist design, single spur cutter and side lip provide fast continuous flow of chips.

18" Overall Length 12" Twist - 7/16" Hex		18" Overall Length 12" Twist - 5/8" Hex	
47909	9/16"	48109	9/16"
47911	11/16"	48111	11/16"
47913	13/16"	48113	13/16"
47915	15/16"	48117	1-1/16"

### NAIL EATER II® IMPACT - POLE BITS

Nail Eater bits resist wear, and eat through nails and staples. Self-feeding screw point draws the bit into the wood to quickly bore through creosote and salt treated utility poles. 18" or 24" OAL.

18" Overall Length 7/16" Hex		18" Overall Length 5/8" Hex	
37868	9/16"	37878	9/16"
37869	11/16"	37879	11/16"
37870	13/16"	37880	13/16"
37871	15/16"	37881	15/16"
37872	1-1/16"	37882	1-1/16"

\*Other models and sizes available. Contact your Reliable representative for more information.

**TO ORDER CALL: 800-966-3530 OR FAX: 215-357-9193**



*Tooling solutions for the power utility industry.*



## IRWIN POLE BITS - TAPER SQUARE SHANK W/ ADAPTER SECTION

- Single twist type with single spur, cutter and side lip, and a Medium-fast screw pitch.
- Hollow center twist design for fast, continuous flow of chips
- Designed to bore through creosoted poles without clogging, binding or stopping to clear chips. Equally efficient for boring large timbers used in heavy construction.
- Heat-treated full length for extra strength.

IRWIN POLE BIT		8" TWIST				12" OVERALL LENGTH				
SIZE	1/2"	9/16"	5/8"	11/16"	3/4"	13/16"	7/8"	15/16"	1"	1-1/16"
Part	-	46509	-	46511	-	46513	-	-	-	-
		12" TWIST				18" OVERALL LENGTH -				
SIZE	1/2"	9/16"	5/8"	11/16"	3/4"	13/16"	7/8"	15/16"	1"	1-1/16"
Part	46608	46609	46610	46611	46612	46613	46614	46615	46616	16617
		18" TWIST				24" OVERALL LENGTH				
SIZE	1/2"	9/16"	5/8"	11/16"	3/4"	13/16"	7/8"	15/16"	1"	1-1/16"
Part	-	-	-	46711	-	46713	-	-	46716	-

Sizes 11/16" through 1-1/16" have 5/16" hex shanks.



## THE FIREBALL - Carbide-Tipped Pole Bits

The double-spur, carbide-tipped, hex-shanked bit has been tested and refined over many years of in-the-field use. THE FIREBALL is specified by many major public utility companies for drilling CCA and creosoted power poles.

THE FIREBALL will outlast and outperform wood boring bits that are not carbide-tipped by a wide margin. The FIREBALL utilizes an especially designed tip configuration that results in faster drilling, and can be resharpened or completely replaced. The hardened lead screw is also replaceable allowing these bits to be completely rebuilt if necessary.

With the 7/16" hex-drive shank these bits can be used in either electric, air, or hydraulic driven impact wrenches. A 1/2" capacity drill motor can also be used. A 1/2" drive impact socket shank is available on request. **Also available in 5/8" Hex.**

FIREBALL		7/16" HEX			8" TWIST		12" OVERALL LENGTH			
SIZE	1/2"	9/16"	5/8"	11/16"	3/4"	13/16"	7/8"	15/16"	1"	1-1/16"
Part	-	H70809	-	H70811	-	H70813	-	H70815	-	H70817
		7/16" HEX12" TWIST			16" OVERALL LENGTH					
SIZE	1/2"	9/16"	5/8"	11/16"	3/4"	13/16"	7/8"	15/16"	1"	1-1/16"
Part	-	H71209	-	H71211	-	H71213	-	H71215	-	H71217
		7/16" HEX18" TWIST			22" OVERALL LENGTH					
SIZE	1/2"	9/16"	5/8"	11/16"	3/4"	13/16"	7/8"	15/16"	1"	1-1/16"
Part	-	H71809	-	H71811	-	H71813	-	H71815	-	H71817

**TO ORDER CALL: 800-966-3530 OR FAX: 215-357-9193**



*Tooling solutions for the power utility industry.*



### GREENLEE NAIL EATER II IMPACT BITS

- Quickly bore through creosoted and salt treated utility poles.
- Patented new design for improved cutting and cleaner holes.
- Self-feeding screw point draws bit through wood.
- Unique patented design cutting angle - smoother starts, reduced cutting loads.
- Made of super tough heat treated steel; cuts through nails and provides longer life.

**Electric drill required:** 61 PTS - 5/8" through 61 PTS - 1", min. 3/8" drill; All Big Shank, 1/2" drill.

NAIL EATER II		7/16" HEX *			15" TWIST			18" OVERALL LENGTH		
SIZE	*1/2"	5/8"	11/16"	3/4"	13/16"	7/8"	15/16"	1"	1-1/8"	1-1/4"
PART	30915	30919	30921	30923	30925	30927	30929	30931	30935	30937



### IRWIN POWER POLE AUGER BITS

- Single twist type with single spur, cutter, and side lip.
- Hollow center twist design for fast, continuous flow of chips. Medium-fast screw pitch.
- For boring creosoted poles and construction timbers and multiple timber applications.
- Heat-treated full length. Guaranteed consistent Rockwell hardness.
- Bores smooth clean holes for installing bolts and pins.
- 7/16" Hex shank fits all adjustable 1/2", 3-jaw chucks and No. 43907 bit extension.
- 5" shank has 1-3/4" of 1/2" round and 1-3/4" of 7/16" hex.
- Cut off hex section and use 1/2" round shank if job requires.

IRWIN POWER POLE AUGER BITS					12" TWIST		17" OVERALL LENGTH		
Size	9/16"	5/8"	1-1/16"	3/4"	13/16"				
Part	46809	46810	46811	46812	46813				
IRWIN POWER POLE AUGER BITS					18" TWIST		23" OVERALL LENGTH		
Size	9/16"	5/8"	1-1/16"	3/4"	13/16"	7/8"	15/16"		
Part	46909	46910	46911	46912	46913	46914	46915		
IRWIN POWER POLE AUGER BITS					24" TWIST		29" OVERALL LENGTH		
Size	9/16"	5/8"	1-1/16"	3/4"	13/16"	7/8"	15/16"	1"	1-1/16"
Part	47009	47010	47011	47012	47013	47014	47015	47016	47017



**IF YOU DONT SEE WHAT YOU NEED  
CONTACT RELIABLE EQUIPMENT  
800-966-3530**



**TO ORDER CALL: 800-966-3530 OR FAX: 215-357-9193**






*Tooling solutions for the power utility industry.*

**RELIABLE EQUIPMENT - POLE BITS**

Hollow center twist design, single spur cutter and side lip for fast continuous flow of chips.

			
<b>IMPACT</b> 18" OVERALL LENGTH 12" TWIST - 7/16" HEX		<b>IMPACT</b> 18" OVERALL LENGTH 12" TWIST - 5/8" HEX	
47909	9/16"	48109	9/16"
47911	11/16"	48111	11/16"
47913	13/16"	48113	13/16"
47915	15/16"	48117	1-1/16"

			
<b>GAS DRILL</b> 17" OVERALL LENGTH 12" TWIST		<b>BIT BRACE</b> 18" OVERALL LENGTH 12" TWIST	
47309	9/16"	47109	9/16"
47311	11/16"	47111	11/16"
47313	13/16"	47113	13/16"
47315	15/16"	47115	15/16"
47317	1-1/16"	47117	1-1/16"



**POLE STEP DRIVER**

**PSD-2-7/16", OR PSD-2-5/8"**

Heavy-duty construction permits faster driving and extraction of pole steps. Heat-treated, high tensile steel, for use in impact wrench.



**POLE  
STEP DRIVER**

**"J" HOOK PULLER**

**BJH-1-7/16", OR BJH-1-5/8"**

For easy installation and removal of "J" Hooks. Made of heat-treated, high tensile steel, for use in impact wrench.

We maintain complete inventories to assure you prompt delivery. For further information on these and other products, please contact our sales department.



**"J" HOOK PULLER**

**TO ORDER CALL: 800-966-3530 OR FAX: 215-357-9193**