






Tooling solutions for the power utility industry.



1 1/4" Switch Stick Head



1 1/4" Spliced Disconnect



Uncyclular Core

SWITCH AND DISCONNECT STICKS

Unsurpassed In Quality, Design And Safety

Every stick is constructed of the finest woven fiberglass materials. A special manufacturing technique assures unexcelled uniformity of glass fiber distribution and full elimination of resin-rich areas which cause chipping and glass fiber peel.

Uncyclular core is self-extinguishing and resistant to cleaning fluids and solvents. Safety bright yellow color is integral part of laminate and will not chip or peel.

Hard-gloss, porosity-free epoxy finish is easy to keep clean.

Switch and Disconnect heads are made of tough, high-tensile, cast bronze - designed to NEMA standards.

Tested per ASTM F-711 and OSHA

Tool	1-1/4" Pole Diameter		Tool	1-1/2" Pole Dia.	
	Length	Weight*		Length	Weight*
SWITCH HEAD					
460-4	1-1/4" x 4'	1 lb. 9 oz.	462-6	1-1/2" x 6'	2 lbs. 13 oz.
460-6	1-1/4" x 6'	2 lbs. 5 oz.	462-8	1-1/2" x 8'	3 lbs. 10 oz.
460-8	1-1/4" x 8'	3 lbs.	462-10	1-1/2" x 10'	4 lbs. 13 oz.
460-10	1-1/4" x 10'	3 lbs. 4 oz.	462-12	1-1/2" x 12'	6 lbs. 8 oz.
460-12	1-1/4" x 12'	3 lbs. 9 oz.	462-14	1-1/2" x 14'	7 lbs. 5 oz.
O19936	Head Only	7 oz.	462-16	1-1/2" x 16'	8 lbs. 4 oz.
462-18	1-1/2" x 18'	9 lbs. 2 oz.	462-20	1-1/2" x 20'	10 lbs. 1 oz.
DISCONNECT HEAD					
461-4	1-1/4" x 4'	1 lb. 11 oz.	541-6	1-1/2" x 6'	3 lbs. 3 oz.
461-6	1-1/4" x 6'	2 lbs. 7 oz.	541-8	1-1/2" x 8'	3 lbs. 12 oz.
461-8	1-1/4" x 8'	3 lbs. 10 oz.	541-10	1-1/2" x 10'	4 lbs. 15 oz.
461-10	1-11/4" x 10'	4 lbs. 13 oz.	541-12	1-1/2" x 12'	6 lbs. 10 oz.
461-12	1-1/4" x 12'	6 lbs. 8 oz.	541-14	1-1/2" x 14'	7 lbs. 7 oz.
P10037	Head Only	9 oz.	541-16	1-1/2" x 16'	8 lbs. 6 oz.
541-18	1-1/2" x 18'	9 lbs. 4 oz.	541-20	1-1/2" x 20'	10 lbs. 3 oz.
-	-	-	P10038	Head Only	13 oz.



**IF YOU DON'T SEE WHAT YOU NEED
CONTACT RELIABLE EQUIPMENT
800-966-3530**

TO ORDER CALL: 800-966-3530 OR FAX: 215-357-9193